


## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# THE PLANT DISEASE REPORTER

Issued By

PLANT DISEASE EPIDEMICS  
and  
IDENTIFICATION SECTION  
AGRICULTURAL RESEARCH SERVICE  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 242

INDEX TO SUPPLEMENTS 237-241, 1956

Supplement 242

Issued June 15, 1957



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Plant Disease Epidemics and Identification Section serves merely as an informational clearing house. It does not assume responsibility for the subject matter.





PLANT DISEASE REPORTER SUPPLEMENT

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

INDEX TO PLANT DISEASE REPORTER  
SUPPLEMENTS 237-241, 1956

Compiled by Nellie W. Nance

Crops Research Division  
Supplement 242

Plant Industry Station, Beltsville, Maryland  
Index to Supplements, 1956

LIST OF SUPPLEMENTS

Supplement 237. Host index and morphological characterization of the grass rusts of the world. pp. 1-52. May 15, 1956. By George B. Cummins.

Supplement 238. Development and production of pathogen-free propagative material of ornamental plants. pp. 57-95. June 15, 1956. By Ornamental Crops Subcommittee of the Committee on Seed and Plant Material Certification, The American Phytopathological Society. See table of contents and the author index below.

Supplement 239. Physiologic races of Puccinia graminis in the United States in 1955. pp. 99-105. July 15, 1956. See author index below.

Supplement 240. A check list of North American rust fungi (Uredinales). pp. 109-193. December 15, 1956. By George B. Cummins and John A. Stevenson.

Supplement 241. Some new and important plant disease occurrences and developments in the United States in 1955. pp. 196-229. December 15, 1956. Compiled by Nellie W. Nance.

Supplement 242. Index to Supplements 237-241 (pp. 233-242). Issued June 15, 1957. By Nellie W. Nance.

AUTHOR INDEX

BAKER, KENNETH F., (56), 68, 88  
BAKER, R. R., (72)  
BALD, J. G., (56), 81  
BRIERLEY, PHILIP, (56), 63

CHANDLER, PHILIP A., (88)  
COTTER, R. U., (99)  
CUMMINS, GEORGE B., 1, 109

DIMOCK, A. W., (56), 59

GASIORKIEWICZ, E. C., 77

HAYDEN, E. B., (99)  
HOLLEY, W. D., (72)

LYLE, ELDON W., (56), 91

MUNNECKE, DONALD E., (56), 93

NANCE, NELLIE W., 196

OLSON, C. J. (56), (63), (77)

RAABE, ROBERT D., (85)  
ROBERTS, B. J., (99)

STEVENSON, JOHN A., (109)

STEWART, D. M., 99

TAMMEN, JAMES (56), 72

WILHELM, STEPHEN, (56), 85



## SUBJECT INDEX

- Aceria ficus*, 215  
 --- tulipae, 212  
*Acti-dione*, 211, 213  
*Acti-dione plus sulfur*, 217  
*Aecidium aesculi*, 213  
*Aesculus glabra*: buckeye rust, 213  
*Agaricus campestris*: bacterial  
     blotch, 221; bacterial soft rot,  
     221; mildew, 221  
*Agrilus bilineatus*, 220  
*Agrimycin*, 224  
*Agrimycin 100*, 218  
*Agrobacterium rubi*, 218  
*Agropyron inerme*: dwarf bunt, 1st  
     rept. on this host (Oregon), 205  
 --- trachycaulum: dwarf bunt, 213,  
     1st rept. on this host (Idaho), 205  
 --- trichophorum: dwarf bunt, 1st rept.  
     on this host (Oregon), 205  
 Alabama, 207, 213, 215, 227  
*Albizzia julibrissin*: *Trichodorus primi-*  
     tivus, 1st rept. on this host (Mary-  
     land), 208  
 Alfalfa: anthracnose, 214  
 Almond: powdery mildew, 1st rept. in  
     U. S. (Calif.), 207  
*Aloë variegata*: *Pythium* root rot, 90, 221  
*Alternaria* spp., 221  
 --- solani, 226, 228  
 --- zinniae, 69  
*Andropogon gerardi*: buckeye rust, 213;  
     kernel smut, 213  
 Angular leaf spot, of cucurbits, 225  
 Anthracnose, of alfalfa, 214; *Bellis*  
     perennis, 226; cucurbits, 224;  
     *Gossypium* spp., 222; *Hibiscus*  
     cannabinus, 222; lettuce, 226  
     tomato, 227  
 Antibiotics, for control of barley loose  
     smut, 210  
*Aphanomyces cochlioides*, 221  
*Aphelenchoides ritzema-bosi*, 59  
*Aphis gossypii*, 218  
 --- maidis, 218  
 Apple: black rot and leaf spot, 216;  
     boron deficiency, 217; canker and  
     fruit rot, 216; dapple apple (? virus),  
     217; fire blight, 216; powdery mildew,  
     217; *Pratylenchus penetrans*, 214;  
     scarskin, 217  
*Arachis hypogaea*: fungi associated with  
     blemishes, 221  
 Arasan, 214  
 Arasan SF, 214  
*Arceuthobium vaginatum* f. *cryptopodum*,  
     208  
 Arkansas, 210, 211  
 Arizona, 211, 215, 217, 224, 226  
*Arthrobotrys dactyloides*, 215  
     --- oligospora, 215  
*Asparagus*: crown and root rot, 224;  
     rust, 224  
*Aspergillus flavus*, 221  
     --- repens, 211  
     --- restrictus, 211  
     --- ruber, 211  
*Bacillus subtilis*, 222  
 Bacterial blight, of bean, 228; *Bromus*  
     commutatus and *B. tectorum*, 206;  
     *Gossypium* spp., 222; *Juglans regia*, 218  
 --- blotch, of *Agaricus campestris*, 221  
 --- canker, of tomato, 227  
 --- leaf spot, of sesame, 223  
 --- soft rot, of *Agaricus campestris*, 221  
 --- spot, of peach, 217; pepper, 224;  
     *Prunus* spp., 217; tomato, 227, 228  
 --- wilt, of corn, 212; cucurbits, 225;  
     sweet corn, 213; tobacco, 223  
*Bacterium stewartii*, 212, 213  
 Barley: barley stripe mosaic virus, 211;  
     barley yellow-dwarf virus, 211;  
     covered smut, 210; downy mildew,  
     1st rept. from Mississippi and Vir-  
     ginia, 203; leaf spot (undet. origin,  
     possibly physiological), 1st rept.  
     from Virginia, 203; loose smut, 210;  
     net blotch, 211; phycomycetous my-  
     corrhizal fungus, 210; smuts, 210;  
     stem rust, 210; stripe, 210  
 Bean: bacterial blight, 228; diseases in  
     Idaho, 228; yellow mosaic virus, 228  
 ---, lima: downy mildew, 228  
*Bellis perennis*, anthracnose, 226  
*Belonolaimus gracilis*, 221  
*Beta vulgaris* (sugar beet): *Aphanomyces*  
     cochlioides, 221; damping-off (*Rhiz-*  
     octonia sp.), control by *Bacillus*  
     subtilis, 222; *Heterodera schachtii*,  
     1st rept. from Oregon, 204; scurf,  
     222; yellows (virus), 222  
*Betula lutea*: *Poria laevigata* and *P. obli-*  
     qua, 219  
 Blackberry: cane gall, 218  
 Blackleg, of potato, 228  
 Black root rot, of strawberry, 216  
 Black rot, of cabbage, 224  
 Black rot and leaf spot, of apple, 216  
 Black shank, of tobacco, 223  
 Blast, of rice, 211  
 Blight, of *Liquidambar styraciflua*, 219  
 Blossom-end rot, of tomato, 227  
 Blueberry: stunt virus transmitted by  
     *Scaphytopius magdalensis*, 218  
 Blue mold, of tobacco, 222  
*Botryosphaeria ribis*, 216  
*Botrytis cinerea*, 89, 215, 227  
     --- gladiolorum, 81



- Branch wilt, of *Juglans regia*, 218  
 Broccoli: club root, 224  
*Bromus commutatus*: bacterial blight,  
 1st rept. on this host (Nebraska),  
 206  
 --- inermis: mosaic (virus), 213  
 --- marginatus: dwarf bunt, 1st report  
 on this host (Oregon), 205  
 --- tectorum: bacterial blight, 1st rept.  
 on this host (Nebr.), 206  
 Brown rot, of *Citrus* spp., 215  
 Brown stele, of lettuce, 226  
 Brussels sprouts: club root, 224  
 Bunt, of wheat, 212  
 Cabbage: black rot, 224; yellows, 224  
 Cactaceae: *Helminthosporium* stem  
 rot, 1st rept. on this host (Calif.),  
 207  
 Calcium nitrate, 226  
 --- sulfamate, 212  
 California, 68, 95, 205, 206, 211, 214 ff.,  
 221 ff.  
*Callistemon rigidus*: *Cylindrocladium*  
*scoparium*, 1st rept. on this host  
 (Alabama), 207  
*Camellia* spp., flower blight, 218  
 Canada, 213, 220, 227  
 Cane gall, of blackberry, 218  
 Canker, of *Populus tremuloides*, 220  
 Canker and fruit rot, of apple, 216  
*Canna generalis*: mosaic virus, trans-  
 mitted to other plants by means of  
 juice and aphids, 218  
 Captan, 215, 216, 217  
*Carthamus tinctorius*: rust, 222  
*Carya illinoensis*: scab, 218  
*Castilleja austromontana*: *ponderosa*  
 pine rust, 218  
 Cauliflower: club root, 224; downy mil-  
 dew, 224  
*Cenangium singulare*, 208  
*Cephalosporium gramineum*, 205, 211  
*Ceratocystis fimbriata*, 89  
*Cercospora pastinacina*, 228  
*Cercospora pastinacae*, 228  
 Cereal crop plants: yellow strain of  
 wheat mosaic virus, 210  
 Cereal seed treatment trials, in Michi-  
 gan, 210  
 Cereals: yellow dwarf virus, 210  
 Ceresan M, 214  
*Chaetocnema pulicaria*, 213  
 Check list of North American rust  
 fungi (Uredinales). Suppl. 240,  
 pp. 109-193  
 Cherry: leaf spot, 217; necrotic ring  
 spot virus, 217; powdery mildew,  
 217  
 ---, sour: *Pratylenchus penetrans*, 214  
 ---, sweet: *Microstroma tonellianum*,  
 1st rept. on cherry and first rept.  
 in North America (Mass.), 277  
 Chloropicrin, 94  
 Chokecherry: X-disease virus, 218  
*Chrysanthemum*: aspermy (virus), 219;  
 development and production of virus-  
 free propagative material, 63; flower-  
 distortion virus, 219; mosaics (virus),  
 219; propagating material free from  
 certain pathogens, 59; rust, 219  
*Chrysomya ledi* var. *rhododendri*, 207  
*Citrus* spp.: brown rot, 215; wax emul-  
 sion, 101A, 215; xyloporosis-ca-  
 chexia relations in Florida, 215  
 --- limon: bud union abnormality (?virus)  
 in Florida, 215; tristeza (virus) in  
 Arizona, 215  
*Cladosporium cucumerinum*, 224  
 --- effusum, 218  
 Club root, of broccoli, 224; Brussels  
 sprouts, 224; cauliflower, 224  
*Coccomyces hiemalis*, 217  
 Cold pox, of cucumber, 225  
*Coleosporium laciniariae*, 204  
*Colladonus geminatus*, 218  
 Collembola, 221  
*Colletotrichum* spp., 224  
 --- gossypii, 222  
 --- hibisci, 222  
 --- lagenarium, 225  
 --- phomoides, 227  
 --- trifolii, 214  
 Colorado, 75, 208, 210, 211, 217, 220  
 Connecticut, 219, 220, 222, 228, 229  
 Corn: bacterial wilt, 212; *Curvularia*  
*maculans*, new disease of corn found  
 in North Carolina and Georgia, 205;  
*Fusarium moniliforme*, 212; mold,  
 212; nematodes, 212; seedling resis-  
 tance to *Pythium* spp., 212; stalk rot,  
 212  
 ---, sweet: bacterial wilt, 213; *Helmin-*  
*thosporium* blight diseases, 212  
*Corynebacterium michiganense*, 227  
 --- sepedonicum, 228  
 Covered kernel smut, of sorghum, 211  
 Covered smut, of barley, 210  
 Crazy top, of *Eleusine indica*, 206; *Era-*  
*grostis cilianensis* and *E. pectinacea*,  
 206  
*Criconeimoides* sp., 214, 215  
*Cronartium filamentosum*, 218  
 --- ribicola, 220  
 Crown and root rot, of asparagus, 224  
 Crown wart, of *Lotus uliginosus*, 206  
 Cucurbits: angular leaf spot, 225; an-  
 thracnose, 224; bacterial wilt, 225;  
 cold pox, serious new disease of cu-  
 cumber in Florida, 225; downy mil-  
 dew, 225; *Fusarium* wilt, 225; gummy  
 stem blight, 225; *Meloidogyne* spp.,



- (Cucurbits) 225; powdery mildew, 225;  
scab, 224; Verticillium wilt, 225;  
viruses, 226
- Curvularia spp., 211  
--- lunata, 81  
--- maculans, on corn, 205
- Cyamopsis tetragonoloba: potato virus  
S, 214
- Cylindrocladium scoparium, 207, 222
- Cystospora canker, of Prunus spp., 217
- Dactylis glomerata: Pleospora phaeocomes,  
1st rept. in U.S. (Pa.), 206; virus  
that infects oats, 210
- Dactylium dendroides, 221
- Damping-off, of pepper, 224
- DDD, 94
- DDT, 94
- Deficiency diseases: boron deficiency of  
apple and peach, 217; zinc deficiency  
of peach, 204
- Delaware, 216, 224, 228
- Demeton, 60
- Dendroctonus engelmanni, 220
- Development and production of pathogen-  
free propagative material of orna-  
mental plants. Suppl. 238, pp. 56-95
- Dianthus spp.: development and production  
of virus-free carnation varieties, 77;  
yellows (virus), 79  
--- caryophyllus: bacterial wilt, 72; con-  
trol of diseases through cultured-cut-  
ting technique, 72; Fusarium wilt, 72
- Dieffenbachia picta: bacterial leaf spot, 88;  
bacterial soft rot, 88; Phytophthora  
stem rot, 88
- Dieldrin, 88
- Diospyros spp.: Tylenchulus semipenetrans,  
1st rept. on this host (California), 208  
--- lotus: Elsinoë diospyri, 1st rept. on  
this host (Florida) and first U.S. record,  
208
- Diplocarpon rosae, 91
- Diseases, of cereal crops, 210; forage and  
cover crops, 213; nut crops, 218; orna-  
mental and miscellaneous plants, 218;  
special crops, 221; vegetable crops, 224
- Dithane Z-78, 219
- Dithane-zinc-copper formulation, 213
- Dowicide A, 215
- Downy mildew, of barley, 203; cauliflower,  
224; cucurbits, 225; lima bean, 228;  
oats, 203; wheat, 203
- Dryland root rot, of wheat, 211
- Dwarf bunt, of Agropyron inerme, A.  
trachycaulum, A. trichophorum,  
Bromus marginatus, 205
- Dwarf bunt, of Agropyron trachycaulum,  
213; Lolium multiflorum and L. per-  
enne, 205; wheat, 212
- Dwarf mistletoe, on Pinus contorta, 208
- Early blight, of potato, 228
- Eggplant: Verticillium wilt, 1st rept.  
from Florida, 204
- Eleusine indica: crazy top, 1st rept. on  
this host (Indiana), 206
- Elsinoë diospyri, 208  
--- magnoliae, 207
- Endoconidiophora coerulescens, 220  
--- fagacearum, 220
- Eragrostis cilianensis: crazy top, 1st  
rept. on this host (Indiana), 206  
--- pectinacea: crazy top, 1st rept. on  
this host (Indiana), 206
- Eriobotrya japonica: high soil tempera-  
tures on side exposed to sun, 215
- Eriophyes, vector of peach mosaic  
virus, 217
- Erwinia amylovora, 216  
--- aroideae, 223  
--- atroseptica, 228  
--- carotovora, 88  
--- tracheiphila, 225
- Erysiphe cichoracearum, 225  
--- graminis tritici, 211
- Ethylene dibromide, 216
- Euphorbia pulcherrima: root rot, 219
- Europe, 217
- Fermate, 219
- Ficus carica: fig mosaic virus transmit-  
ted by Aceria ficus, 215; Phomopsis  
cinerascens, 1st rept. from Mary-  
land, 204; Heterodera fici, 1st rept.  
in U.S. (Calif.), 206
- Fire blight, of apple, 216
- Fittonia verschaffeltii var. argyroneura:  
Rhizoctonia solani, 89
- Flax: Fusarium wilt, 211; seed rot, 210
- Florida, 88, 204, 208, 212, 215, 222, 224,  
225, 227, 228
- Flower blight, of azalea, 219; of Camel-  
lia spp., 218
- Foliage burn, of grape, 218
- Foot rot, of tomato, 227
- Forage crop plants: yellow strain of  
wheat mosaic virus, 210
- Forage legume diseases, in Iowa, 214
- Fragaria vesca: viruses, 216
- Fruit rot, of tomato, 227
- Fusarium spp., 211, 221  
--- bulbigenum var. lycopersici, 227  
--- moniliforme, 206, 212  
--- oxysporum, 225  
--- --- f. conglutinans, 224  
--- --- f. dianthi, 72  
--- --- f. gladioli, 81  
--- --- f. lini, 211
- Fusicoccum amygdali, 217
- Ganoderma zonatum, 220
- Georgia, 205, 206, 210, 216, 222, 227



- Ghost spot, of tomato, 227
- Gibberella zeae, 212
- Gladiolus: development and production of pathogen-free cormels, 81; Meloidogyne spp., 219; nematodes, 81; virus diseases, not eliminated by heat treatment, 81
- Gleditsia triacanthos: cankers and rot, 1st rept. on this host (Mississippi and Tennessee), 208
- Glomerella cingulata, 224
- tucumanensis, 223
- Gomphrena globosa: mosaic (virus), 226
- Gossypium spp.: anthracnose, 222; bacterial blight, 222; bacteriophage of Xanthomonas malvacearum, in Texas and New Mexico, 209; losses from diseases, 222; stem intumescences due to abnormal stem metabolism, 222; temperature tank battery for seedling disease investigations, 222; Verticillium wilt, 222
- Gramineae: leaf spot fungi, 205; Puccinia spp., 210; yellow strain of wheat mosaic virus, 210
- Grape: foliage burn, 218; white-Emperor virus disease, 218
- Graphium ulmi, 221
- Gray leaf spot, of tomato, 226, 227
- Gray mold, of strawberry, 215; tomato, 227
- Gummy stem blight, of cucurbits, 225
- Haworthia attenuata: Pythium ultimum, 90
- Helicotylenchus nannus, 215
- Helminthosporium cactivorum, 207
- gramineum, 210
- maydis, 212
- sativum, 211
- sesami, 209
- turcicum, 212
- Hendersonula toruloidea, 218
- Heterodera fici, 206
- rostochiensis, 228
- schachtii, on sugar beet, 204
- --- var. trifolii, 214
- Heterosporium tropaeoli, 70
- Hexamine, 215
- Hibiscus cannabinus: anthracnose, 222
- Host index and morphological characterization of the grass rusts of the world. Suppl. 237, pp. 1-52
- Hydrangea sp.: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 207
- Hypoxylon pruinatum, 220
- Idaho, 205, 217, 220, 228
- Ilex rotundifolia: Cylindrocladium scoparium, 1st rept. on this host (Alabama), 207
- Illinois, 210, 211, 214, 219, 224
- Indiana, 206, 225
- Iowa, 212, 213, 214
- Juglans regia: bacterial blight, 218; branch wilt, 218
- Kansas, 211, 212, 213
- Karathane, 211
- Kentucky, 214, 216, 225
- Kernel smut, of Andropogon gerardi, 213
- Late blight, of potato and tomato see Phytophthora infestans
- Leaf scab, of Magnolia grandiflora, 207
- Leaf spot, of barley, 203; cherry, 217; parsnip, 228
- Leaf spot fungi, of Gramineae, 205
- Lemon: tristeza virus, 1st rept. from Texas, 203
- Leptographium engelmanni, 220
- Lettuce: anthracnose, 226; big-vein (virus), 226; brown stele (undet.), 226; mosaic (virus), 226; pink rib (cause unknown), 226
- Liquidambar styraciflua: blight (cause unknown), 219
- Liriodendron tulipifera: Verticillium wilt, 219
- Lolium multiflorum: dwarf bunt, 1st rept. on this host (New York), 205
- perenne: dwarf bunt, 1st rept. on this host (New York), 205
- Loose smut, of barley, 210
- Losses, from bacterial blight of cotton, 222; from plant diseases in Tennessee, 221
- Lotus uliginosus: crown wart, 1st rept. in this country (Oregon), 206
- Louisiana, 209, 215, 224, 226
- Macrosiphum granarium, 210
- Magnolia grandiflora: Elsinoë magnoliae, a new species causing leaf scab, southern United States, 207
- soulangeana: Cylindrocladium scoparium, 1st rept. on this host (Alabama), 207
- Maine, 227, 228, 229
- Malathion, 88, 94
- Maneb, 227
- Maps: Weather 1955, precipitation and temperature, 199-202
- Marmor virgatum var. typicum, 210
- Marssonina panattoniana, 226
- Maryland, 63, 204, 211 ff., 219, 222, 223
- Massachusetts, 207, 212, 216, 222
- Matthiola incana: Xanthomonas incanae, 68
- Meloidogyne spp., 217, 219, 223, 225



- (Meloidogyne) arenaria, 214  
 --- hapla, 216, 224  
 --- incognita var. acrita, 209, 225, 227  
 --- javanica, 227  
 Mercurine, 210  
 Merlane, 210  
 Mesulfane, 215  
 Methyl bromide, 94  
 Michigan, 204, 222, 228  
 Microstroma tonellianum, 207  
 Mildew, of *Agaricus campestris*, 221  
 Minnesota, 211  
 Mississippi, 203, 208, 218, 221, 224  
 Missouri, 214, 216, 217, 220, 221  
 Mold, of corn, 212  
 Monilochaetes infusans, 226  
 Montana, 211, 212  
 Mycogone perniciosa, 221  
 Mycosphaerella ligulicola, 60  
 --- melonis, 225  
 Myzus persicae, 218, 229
- Nailhead spot, of tomato, 226  
 Nebraska, 206, 213, 222  
 Necrotic injury, of *Persea americana*, 217  
 Nemagon, 216, 217  
 Nematodes, on gladiolus, 81; in Louisiana soils, 209  
 Nerium oleander: *Sphaceloma oleanderi*, 1st rept. from Florida, 204  
 Net blotch, of barley, 211  
 Net necrosis, of potato, 228  
 New gall disease, of *Vaccinium corymbosum* in Mass., 207  
 New genus: *Xanthomonas* sp. on *Sesamum indicum*, 223  
 New Hampshire, 213, 216, 217  
 New Jersey, 212, 217, 218, 226, 228  
 New Mexico, 209, 211, 217, 224  
 New York, 59, 205, 211, 213, 214, 216, 217, 218, 224, 225, 227, 228, 229  
 Nodal cankers, of peach, 217  
 Norsulfane, 215  
 North Carolina, 205, 212, 217, 219, 222, 225  
 North Dakota, 223
- Oats: crown rust, 210; downy mildew, 1st rept. from Virginia, 203; loose smut, 210; microflora associated with, in storage, 210; mosaic virus, 210; smuts, 210; virus from orchard grass, 210  
 Ohio, 63, 213, 228  
 Oligomycin, 212  
 Ophiostoma bicolor, 220  
 --- truncicola, 220  
 Oregon, 204, 205, 206, 211, 212, 214, 218, 219
- Ornamental plants, development and production of pathogen-free propagative material of, 56
- Ovulinia azaleae, 219
- Pacific Northwest, 213  
 Panogen, 210  
 Parathion, 60  
 Paratylenchus sp., 214  
 Parsnip: leaf spot, 228  
 Parzate, 219  
 PCNB, 229  
 Peach: bacterial spot, 217; boron deficiency, 217; nodal cankers, 217; *Pratylenchus penetrans*, 214; root knot nematode, 217; zinc deficiency, 1st rept. from Michigan, 204  
 Pelargonium hortorum: bacterial stem rot, 93; cutting rots, 93; production of pathogen-free propagative material, 93; *Verticillium wilt*, 93; virus diseases, 93  
 Pellionia pulchra: *Rhizoctonia solani*, 89  
 Penicillium martensii, 223  
 Pennisetum glaucum: top rot, 1st rept. on this host in U.S. (Georgia), 206  
 Pennsylvania, 204, 206, 213, 214, 221, 222, 228, 229  
 Pentachloronitrobenzene, 224  
 Pepper: bacterial spot, 224; damping-off, 224; potato virus Y, 229  
 Peronospora parasitica, 224  
 --- tabacina, 222  
 Persea americana: necrotic injury (physiological disorder), 217; *Phytophthora* root rot, 217  
 Phlyctochytrium, 223  
 Phomopsis cinerascens, 204  
 Physalospora sp., 213  
 --- obtusa, 216  
 Physiologic races of *Puccinia graminis* in the United States in 1955. Suppl. 239, pp. 99-105  
 Physoderma potteri, 206  
 Phytophthora capsici, 227  
 --- infestans, 227, 228  
 --- palmivora, 88  
 --- parasitica, 215  
 --- --- var. nicotianae, 223  
 --- phaseoli, 228  
 --- root rot, of *Persea americana*, 217  
 Picea engelmannii: fungi associated with *Dendroctonus engelmanni*, 220  
 Pink rib, of lettuce, 226  
 Pinus spp.: diseases in forest nurseries in Georgia, 220  
 --- contorta: *Arceuthobium americanum*, 220; *A. vaginatum* f. *cryptopodum*, 1st rept. on this host (Colorado), 220; dwarf mistletoe, 1st rept. on this host (Colorado), 208  
 --- monticola: pole blight (cause unknown), 220  
 --- ponderosa var. *scopolorum*: *Arceutho-*



- (*Pinus*) *bium americanum*, 220  
 --- *strobis*: rust, stain technique for detecting, 220  
 --- *taeda*: needle rust, 1st rept. from Virginia, 204  
*Piricularia oryzae*, 211  
 Plant diseases, estimated loss in Tennessee, 214; in New Mexico, 224; losses in Tennessee, 209  
 Plants, foliage and succulent: development and production of pathogen-free propagative material of, 88  
*Plasmodiophora brassicae*, 224  
*Pleospora phaeocomes*, 206  
*Poa pratensis*: rust, 213  
*Podosphaera leucotricha*, 217  
 --- *oxyacanthae*, 217  
 --- *tridactyla*, 207  
*Poinsettia pulcherrima*: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207  
 Pole blight, of *Pinus monticola*, 220  
*Polygonum punctatum*: smut, 204  
*Polymyxa graminis*, 214  
*Polyporus hispidus*, 221  
*Populus nigra* var. *italica*: yellow leaf blister, 1st rept. from Virginia, 204  
 --- *tremuloides*: canker, 220; sooty-bark canker, described for first time, in Colorado, 208  
*Poria laevigata*, 219  
 --- *obliqua*, 219  
 --- *spiculosa*, 208  
 Potato: blackleg, early blight, golden nematode, 228; late blight, 227, 228; leafroll (virus), 229; net necrosis, 228; ring rot, 228; scab, 229; speck rot, 1st rept. from Virginia, 205; *Verticillium albo-atrum*, 229; virus A, 228  
 Powdery mildew of almond, 207; apple and cherry, 217; cucurbits, 225; wheat, 211  
*Pratylenchus*, 213, in Louisiana soils, 209  
 --- *penetrans*, 214, 215, 216  
 --- *zeae*, 212  
*Prosopis juliflora*: *Ganoderma zonatum*, 220  
*Prunus* spp.: bacterial spot, 217; *Cytospora* canker, 217  
 --- *serrulata*: little cherry (virus), 219  
*Pseudomonas* sp., 223  
 --- *caryophylli*, 72  
 --- *lachrymans*, 225  
 --- *marginata*, 81  
 --- *solanacearum*, 223  
 --- *tabaci*, 223  
 --- *tolaasi*, 221  
*Pseudoperonospora cubensis*, 225  
*Pseudopityophthorus* spp., 220  
 --- *minutissimus*, 221  
*Puccinia andropogonis*, 213  
 --- *asparagi*, 224  
 --- *carthami*, 222  
 --- *chrysanthemi*, 60, 219  
 --- *coronata* var. *avenae*, 210  
 --- *graminis*, 213; physiologic races of, in the U.S., 99  
 --- --- *avenae*, 102  
 --- --- *tritici*, 99, 210, 211  
 --- *rubigo-vera* var. *tritici*, 211  
 Puerto Rico, 88  
*Pyracantha* sp.: *Cylindrocladium scoparium*, new host (Ala.), 207  
*Pyrenophora teres*, 211  
*Pythium* spp., 93, 212, 219  
 --- *aphanidermatum*, 223  
 --- *ultimum*, 90, 221  
*Quercus* spp.: oak wilt, 220; *Polyporus hispidus*, 221  
 Races, of leaf rust of wheat, 212  
*Radopholus similis*, 215  
*Ramularia pastinaceae*, 228  
 Raspberry: ring spot virus, 218  
 Red rot, of sugarcane, 223  
*Rhizobium* spp., 214  
 --- *japonicum*, 214  
 --- *meliloti*, 214  
*Rhizoctonia solani*, 81, 89, 93, 211, 219, 224, 227  
*Rhizopus oryzae*, on sorghum, 211  
*Rhododendron* spp. (*azalea*): flower blight, 219; *Chrysomyxale* var. *rhodendri*, 1st rept. in U.S. (Washington), 207  
 --- *indica*: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207  
 --- *obtusa japonicum*: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207  
*Rhopalosiphum fitchii*, 210  
 Rice: blast, 211; *Tylenchorhynchus martini*, 211  
 Ring rot, of potato, 228; *Euphorbia pulcherrima*, 219  
*Rosa* spp.: culture-indexing of budwood to provide *Verticillium*-free greenhouse roses, 85; development of propagative material free from black spot, 91  
 Rust fungi, a check list of North American, 109  
 Rusts, see also under host and genera  
 Rusts, grass, of the world, host index and morphological characterization of the, 1-52  
*Saccharum officinarum*: *Meloidogyne incognita* var. *acrita*, 1st rept. on this host (Louisiana), 209



- Scab, of *Carya illinoensis*, 218; cucurbits, 224; potato, 229
- Scarskin, of apple, 217
- Sclerophthora macrospora, see Sclerospora
- Sclerospora macrospora, 203, 206
- Sclerotinia camelliae, 218
- trifoliorum, 214
- Sclerotium rolfsii, 227
- Scurf, of sweetpotato, 226; sugar beet, 222
- Seed treatment, of beans and peas in Michigan, 228; potatoes, 228
- --- materials, for control of oat loose smut and wheat bunt, 210; results of studies, 210
- Septoria chrysanthemella, 59
- gladioli, 81
- obesa, 59
- Sesamum indicum: aerial stem rot, 1st rept. in this country (Texas), 209; bacterial leaf spot, 223; Xanthomonas sp., hitherto unreported genus on this host, 223
- Sodium pentaborate, 217
- selenate, 59
- sulfanilate, 212
- Some new and important plant disease occurrences and developments in the United States in 1955. Suppl. 241, pp. 196-229
- Sooty-bark canker, of *Populus tremuloides*, 208
- Sorghum: Colletotrichum stalk rot, 211; covered kernel smut, 211; Fusarium stalk rot, 211; Rhizopus oryzae, 211
- South Carolina, 210, 217, 222, 223, 225
- South Dakota, 210
- Southern blight, of tomato, 227
- Soybean: bud blight (tomato- and tobacco ringspot viruses), 1st record of these viruses as agents of bud blight of soybean, 214; Heterodera schachtii var. trifolii, 214; Meloidogyne arenaria, 214; nematodes 212
- Speck rot, of potato, 205
- Spergon, 214
- Spergon SL, 224
- Sphaceloma oleanderi, 204
- Sphacelotheca occidentalis, 213
- sorghi, 211
- Stalk rot, of corn, 212
- Stalk rots, of sorghum, 211
- Stem rot, aerial, of Sesamum indicum, 209
- Stemphylium solani, 226, 227
- Stenotaphrum secundatum: Physalospora, 213
- Stewart's wilt, see bacterial wilt
- Strawberry (see also Fragaria): black root rot, 216; gray mold, 215; hot water treatment, 215; nematodes in commercial areas, 215; plant propagation center in Oregon, 215; Pratylenchus penetrans assoc. with black root rot, 216; ring spot virus, transmitted by grafting from raspberry, 218; Verticillium wilt, 216
- Streptomyces scabies, 229
- Streptomycin, 224, 225, 228; in apple and pear tissues, 216
- sulfate, 224
- Streptomycin-Terramycin sprays, 228
- Stripe, of barley, 210; wheat, 205, 211
- Stromatinia gladioli, 81
- Stysanus stemonites, 205
- Sugarcane: red rot, 223
- Sulfur, 211
- Sweetpotato: internal cork (virus), 226; scurf, 226
- Syngonium auritum: black cane rot (Ceratomyces fimbriata), 89
- podophyllum var. Emerald Gem: root rot (water fungi), 90
- Systox, 60
- Tagetes erecta: mosaic (virus), 226
- Taphrina populina, 204
- Tennessee, 208, 210, 221
- Terrachlor, 216
- Texas, 203, 209, 220, 221, 223
- \*Thielaviopsis basicola, 219
- Thioneb, 215
- Tilletia sp., 210
- caries, 212
- controversa, 205, 212, 213
- foetida, 210, 212
- Tobacco: bacterial wilt, 223; black shank, 223; blue mold, 222; nematodes, 212, 222; virus diseases, 223; weather fleck, 223; wildfire, 223
- Tomato: anthracnose, 227; bacterial spot, 227, 228; bacterial canker, 227; blossom-end rot, 227; foot rot, 227; fruit rot, 227; Fusarium wilt, 227; ghost spot, 227; gray leaf spot, 226, 227; gray mold, 227; late blight, 227; Meloidogyne incognita acrita, 227; nailhead spot, 226; potato virus Y, 228; southern blight, 227; tobacco mosaic (virus), 229
- Top rot, of Pennisetum glaucum, 206
- Trichodorus sp., 212
- primitivus, 208
- Trifolium spp.: isolation of pathogens, improved method, 214
- pratense: Polymyxa graminis, 214; yellow bean mosaic (virus), 214
- --- var. Ladino: Sclerotinia trifoliorum, 214
- Tropaeolum majus: Heterosporium tropaeolum majus: Heterosporium tro-



- paeoli, 70  
 Tylenchorhynchus sp., 212, 213  
 --- claytoni, 212, 223  
 --- martini, 211  
 Tylenchulus semipenetrans, 215
- Ulmus spp.: Dutch elm disease distribution in North America, 221  
 Ustilago avenae, 210  
 --- hordei, 210  
 --- kolleri, 210  
 --- nuda, 211  
 --- utriculosa, 204
- Vaccinium corymbosum: new gall disease (undet.), in Mass., 207  
 Vapam, 216, 229  
 Verticillium sp., 221  
 --- albo-atrum, 60, 85, 93, 204, 216, 219, 222, 225, 229; previously unrecorded hosts of, in California, 205  
 Virus diseases: of cucurbits, 226; gladiolus, 81; Pelargonium hortorum, 93  
 --- --- aspermy of chrysanthemum, 219  
 --- --- aster yellows of chrysanthemum, 66  
 --- --- barley stripe mosaic, 211  
 --- --- big-vein of lettuce, 226  
 --- --- bud blight of soybean, 214  
 --- --- cereal yellow dwarf virus, 210  
 --- --- chrysanthemum rosette, 65  
 --- --- chrysanthemum stunt, 63  
 --- --- dapple apple (? virus) of apple, 217  
 --- --- flower distortion of chrysanthemum, 67, 219  
 --- --- internal cork of sweetpotato, 226  
 --- --- leafroll of potato, 229  
 --- --- little cherry, of Prunus serrulata, 219  
 --- ---: (mosaics) canna-mosaic of canna, corn, and bean, 218; chrysanthemum mosaic, 65; cucumber mosaic of cucumber, 226; mosaic of Bromus inermis, 213, chrysanthemum, 219, Dianthus spp., 77, Gomphrena globosa, 226, lettuce, 226, oats, 210, Tagetes erecta, 226, tomato, 229, Zinnia elegans, 226; mosaic virus transmitted by Aceria ficus, 215; streak mosaic of wheat, 212; yellow bean mosaic of red clover, 214; yellow mosaic of bean, 228; yellow strain of wheat mosaic virus of cereal and forage crop plants and grasses, 210; yellow streak mosaic of wheat, 212  
 --- --- potato virus Y of tomato and pepper, 228  
 --- --- (necrotic) ring spot of cherry, 217; (tobacco) ring spot of cucumber, 226; ring spot of raspberry 218, strawberry 218, tobacco 223  
 --- --- streak of Dianthus spp., 78  
 --- --- stunt of blueberry, 218  
 --- --- tomato aspermy, 66  
 --- --- tomato spotted wilt, 67  
 --- --- tristeza virus of lemon, 203, in Arizona, 215  
 --- --- virus A of potato, 228  
 --- --- viruses of Fragaria vesca, 216  
 --- --- white-Emperor virus of grape, 218  
 --- --- X-disease of chokecherry, 218  
 --- --- yellows of Dianthus spp., 79, of sugar beet, 222  
 Virginia, 203, 205, 222, 229  
 Washington, 205, 207, 211, 219, 225  
 Weather 1955: precipitation 197; snowfall 198; storms 198; summary 196; temperature 198  
 --- injuries: freezing of small grains in Ark. 210; weather fleck of tobacco 223  
 West Virginia, 219, 220, 221, 224  
 Wheat: Aspergillus mold, 211; bunt, 210, 212; downy mildew, 1st rept. from Mississippi, 203; dryland root rot 211; dwarf bunt, 212; leaf rust, 211; powdery mildew, 211; smuts, 210; stem rust, 211; streak mosaic virus, 212; stripe (Cephalosporium gramineum), 211; 1st rept. in U.S. (Washington), 205, toxicity of various chemicals to seed, 211; yellow streak mosaic virus, 212  
 Wildfire, of tobacco, 223  
 Wisconsin, 211, 226, 229  
 Woody hosts: Verticillium albo-atrum in Illinois, 219  
 Xanthomonas sp., 223  
 --- campestris, 224  
 --- dieffenbachiae, 88  
 --- incanae, 68  
 --- juglandis, 218  
 --- malvacearum, 209, 222  
 --- pelargonii, 93  
 --- phaseoli, 228  
 --- pruni, 217  
 --- translucens var. undulosa, 206  
 --- vesicatoria, 224, 227, 228  
 Xiphinema, 213, 214, 215  
 Xyleborus spp., 220  
 Xyleterinus politus, 220  
 Yellow leaf blister, of Populus nigra var. italica, 204  
 Yellows, of cabbage, 224  
 Zineb, 216, 227  
 Zinnia elegans: Alternaria zinniae, 69; mosaic (virus), 226

## ERRATA

On page 88, under 1. Dieffenbachia picta Schott, 2nd paragraph, 4th line, read who maintains pathogen-free stock, instead of who maintains pathogen-stock.

On page 89, under 2. 3rd paragraph 7th line read removed to reduce invasion by Botrytis cinerea instead of removed to reduce to reduce invasion by Botrytis cinerea.

On page 205 read Agropyron inerme instead of Agropyron inerne.

On page 221, 10th line read Pseudopityophthorus minutissimus instead of Pseudopityophthorous minutissimus.

In Supplement 237. "Host Index and Morphological Characterization of the Grass Rusts of the World" one page of the data tabulations is out of place. Page 44 belongs at the end of Group V. The following corrections should be made:

1. Annotate the bottom of page 41 as follows: "(see page 44 for the remainder of group V)."
2. Bottom of page 43 add: "Group VI continued on page 45."
3. Top of page 44 add: "Group V, continued."
4. Top of page 45 add: "Group VI, continued."

CROPS RESEARCH DIVISION, AGRICULTURAL RESEARCH SERVICE, UNITED STATES  
DEPARTMENT OF AGRICULTURE